
FWS001 Pec Dec Fly





SPECIFICATION

Product Code : FWS001

Dimensions: W 1645mm / L 1200mm / H 1935mm

Weight: 241kg

FEATURE


- Exercise trajectory suitable for back deltoid and medial pectoralis major training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Dual system performing two kinds of operation according to grip and posture
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience

D-ONE CITY SIGNATURE 361, 107, Gimpohangang 10-ro 133beon-gil, Gimpo-si, Gyeonggi-do, Republic of Korea

TEL: 070.8860.2400 FAX: 031-992-2401



FWS002 Lat Pull down





SPECIFICATION


Product Code : FWS002

Dimensions: W 1220mm / L 1255mm / H 2150mm

Weight: 223kg

FEATURE


- Exercise trajectory suitable for back muscles training using various grips
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Parts holder for convenient storage
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS003 Seated Row





SPECIFICATION

Product Code : FWS003

Dimensions: W 1270mm / L 1300mm / H 1420mm

Weight: 215kg

FEATURE


- Exercise trajectory suitable for latissimus dorsi, teres major, trapezius training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Independent lever for balanced muscle strength
- Stainless steel footboard
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience

D-ONE CITY SIGNATURE 361, 107, Gimpohangang 10-ro 133beon-gil, Gimpo-si, Gyeonggi-do, Republic of Korea

TEL: 070.8860.2400 FAX: 031-992-2401



FWS004 Chest Press





SPECIFICATION

Product Code : FWS004

Dimensions: W 1380mm / L 1575mm / H 1420mm

Weight: 267kg

FEATURE


- Exercise trajectory suitable for pectoralis major training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement

TEL: 070.8860.2400

FAX: 031-992-2401

- Ø30UR shaft bearing for smooth, flexible and stable machine
- Independent lever for balanced muscle strength
- Stainless steel footboard
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience

FWS005 Shoulder Press





SPECIFICATION

Product Code : FWS005

Dimensions: W 1415mm / L 1430mm / H 1420mm

Weight: 235kg

FEATURE

- Exercise trajectory suitable for deltoid training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Rod end 20R Shockproof Bearing for durability
- Grips available in different way
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience

D-ONE CITY SIGNATURE 361, 107, Gimpohangang 10-ro 133beon-gil, Gimpo-si, Gyeonggi-do, Republic of Korea

TEL: 070.8860.2400 FAX: 031-992-2401



FWS006 Arm Curl



SPECIFICATION

Product Code : FWS006

Dimensions: W 985mm / L 1365mm / H 1420mm

Weight: 195kg

FEATURE


- Exercise trajectory suitable for biceps and brachial training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Rotating handle for natural grip
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS008 Pull Over





SPECIFICATION

Product Code : FWS008

Dimensions: W 1180mm / L 1645mm / H 1420mm

Weight :

FEATURE


- Exercise trajectory suitable for pectoralis major and back muscles training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Foot lever to help you start exercising
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience

D-ONE CITY SIGNATURE 361, 107, Gimpohangang 10-ro 133beon-gil, Gimpo-si, Gyeonggi-do, Republic of Korea

TEL: 070.8860.2400 FAX: 031-992-2401



FWS009 Standing Multi Flight





SPECIFICATION

Product Code : FWS009

Dimensions: W 1015mm / L 1150mm / H 1883mm

Weight: 274kg

FEATURE


- Exercise trajectory suitable for deltoid and pectoralis major training
- Footboard with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Visualizing Joint center for intensive training
- Dual system performing two kinds of operation according to grip and posture
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience

TEL: 070.8860.2400 FAX: 031-992-2401





FWS010 Assist Chin & Dip





SPECIFICATION

Product Code : FWS010

Dimensions: W 1125mm / L 1180mm / H 2220mm

Weight: 273kg


FEATURE

- Exercise trajectory suitable for pectoralis major and back muscles training
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Grips available in different way
- Stainless steel footboard
- Parallel handles adjustable to different widths
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience





FWS011 Abdominal





SPECIFICATION


Product Code : FWS011

Dimensions: W 1280mm / L 1460mm / H 1460mm

Weight :

FEATURE

- Exercise trajectory suitable for abdominal muscles training
- Seat with gas-assisted height adjustment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS012 Leg Extension



SPECIFICATION

Product Code : FWS012

Dimensions: W 915mm / L 1100mm / H 1420mm

Weight: 233kg

FEATURE

- Exercise trajectory suitable for quadriceps training
- Leg Pad with height adjustment for fitting one's body
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Visualizing Joint center for intensive training
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience





FWS013 Lying Leg Curl







SPECIFICATION


Product Code : FWS013

Dimensions: W 860mm / L 1555mm / H 1420mm

Weight: 210kg

FEATURE

- Exercise trajectory suitable for hamstring training
- Leg Pad with height adjustment for fitting one's body
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Visualizing Joint center for intensive training
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS014 Leg Press







SPECIFICATION

Product Code : FWS014

Dimensions: W 975mm / L 1712mm / H 1625mm

Weight: 345kg

FEATURE

- Exercise trajectory suitable for quadriceps, hamstring, gluteus training
- 6mm High-strength Urethane wire for durability and smooth feeling of movement

TEL: 070.8860.2400

FAX: 031-992-2401

- Linear sliding system with the a constant load on the whell
- Roller for smooth feeling of movement
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience





FWS015 Inner Outer Thigh







SPECIFICATION


Product Code : FWS015

Dimensions: W 975mm / L 1565mm / H 1420mm

Weight: 232kg

FEATURE

- Exercise trajectory suitable for adductor, abductor, gluteus training
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Cam to ensure optimum load tension
- Dual system performing two kinds of training
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS019 Hip Thrust







SPECIFICATION

Product Code : FWS019

Dimensions: W 1090mm / L 1635mm / H 1420mm

Weight: 250kg

FEATURE

- Exercise trajectory suitable for gluteus and lumbar muscles training
- Seat with height adjustment for fitting one's body
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Ø30UR shaft bearing for smooth, flexible and stable machine
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS021 Single Pulley



SPECIFICATION

Product Code : FWS021

Dimensions: W 1300mm / L 1340mm / H 2140mm


Weight: 208kg

FEATURE

- A variety of training is possible using assistive equipment
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Minimize handle vibrations using pins with locking features
- Rotating dual grip with step-by-step height adjustment
- Cup holder and cell phone holder for convenience



FWS030 Power Low Pulley





SPECIFICATION


Product Code : FWS030

Dimensions: W 1027mm / L 2090mm / H 2152mm

Weight: 250kg

FEATURE

- Exercise trajectory suitable for back muscles training
- Stainless steel footboard with height adjustment for fitting one's body
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Parts holder for convenient storage
- Dual system performing two kinds of training
- Seat with Polyurethane to prevent cracking, pressing and abrading
- Cup holder and cell phone holder for convenience



TEL: 070.8860.2400 FAX: 031-992-2401



FWS031 Dual Pulley



SPECIFICATION

Product Code : FWS031

Dimensions: W 1670mm / L 1330mm / H 2200mm

Weight :

FEATURE

- Various exercises are possible depending on the target muscle
- 1:4 load ratio for low initial resistance and high speed movement
- 6mm High-strength Urethane wire for durability and smooth feeling of movement

TEL: 070.8860.2400

FAX: 031-992-2401

- Parts holder for convenient storage
- Minimize handle vibrations using pins with locking features
- Rotating grips with step-by-step height adjustment
- Multi chinning bars for pull-up exercise



FWS032 Cable Cross Over



SPECIFICATION

Product Code : FWS032

Dimensions: W 1120mm / L 3910mm / H 2200mm

Weight :

FEATURE

- Various exercises are possible depending on the target muscle
- Cable crossing providing constant resistance
- 6mm High-strength Urethane wire for durability and smooth feeling of movement

TEL: 070.8860.2400

FAX: 031-992-2401

- Parts holder for convenient storage
- Minimize handle vibrations using pins with locking features
- Rotating grips with step-by-step height adjustment
- Multi chinning bars for pull-up exercise
- Cup holder and cell phone holder for convenience

FWS033 Multi Jungles



SPECIFICATION

Product Code : FWS033

Dimensions:

Weight :

FEATURE

- Various exercises are possible depending on the target muscle
- Multistations for up to 9 people
- 6mm High-strength Urethane wire for durability and smooth feeling of movement
- Parts holder for convenient storage
- Multi chinning bars for pull-up exercise



TEL: 070.8860.2400 FAX: 031-992-2401

